

**ZOOM<sup>®</sup> ALKALI LIQUID****1 – PRODUCT AND COMPANY INFORMATION**

**PRODUCT USE:**           Cleaning of product contact surfaces in dairy plant.  
                                  Not intended for domestic applications.

**SUPPLIER:**       Deosan Manufacturing Ltd  
                          20 Seddon Street  
                          WAHAROA  
                          NEW ZEALAND

**Telephone:**       0800 336 726 (0800 DEOSAN) / +64 7 888 5628

**Email:**            info@deosan.co.nz

**24 Hour Emergency Contact:** 0800 243 622 (CHEMCALL)

**International Emergency Number:** +64 4 917 9888

**New Zealand Poison Centre:** 0800 POISON (0800 764 766)

**NZ Emergency Services:** 111

**2 – HAZARDS IDENTIFICATION**

HAZARDOUS SUBSTANCE. DANGEROUS GOODS.

Classified as hazardous according to criteria in the New Zealand Hazardous Substances and New Organisms legislation and GHS 7th Edition.

**HAZARD LABELLING: DANGER**

See Section 14 for UN labelling

**HAZARD CLASSIFICATION AND STATEMENTS**

- Acute Oral Toxicity Category 4
- Corrosive to Metals category 1
- Skin Corrosion Category 1B
- Serious Eye Damage Category 1
- Hazardous to the Aquatic Environment Chronic Category 4
- Hazardous to Terrestrial Vertebrates

**HSNO Classification:** 6.1D, 8.1A, 8.2B, 8.3A, 9.1D, 9.3C

**GHS HAZARD STATEMENTS**

**Physical Hazards:**           Highly corrosive liquid

**Health Hazards:**            May be fatal if swallowed.

                                  Causes serious eye and skin damage.



# ZOOM<sup>®</sup> ALKALI LIQUID

**Environmental Hazards:** Toxic to aquatic life. May cause long-lasting harmful effects.  
Harmful to terrestrial vertebrates.

## PREVENTION

- Keep out of reach of children.
- Read label and safety data sheet before use.
- Do not breathe vapours.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Avoid release to the environment.
- Wear protective gloves/protective clothing/eye protection/face protection.

## RESPONSE

- If medical advice is needed, have product container or label at hand.
- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water.
- IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER or doctor/physician if unwell.
- Wash contaminated clothing before reuse.
- Absorb spillage to prevent material damage.

## STORAGE

- Store only in original container.
- Store locked up.

## DISPOSAL

Dispose of contents and packaging in accordance with relevant legislation. See Section 13 of this SDS Document for more information.

## 3 – COMPOSITION / INFORMATION ON INGREDIENTS

### Hazardous Ingredients

Component	CAS- No.	Concentration [%]
Sodium Hydroxide 50%	1310-73-2	>20.0
Potassium Hydroxide	1310-58-3	<10.0
Sodium Salt EDTA	6419-19-8	<10.0
Aliphatic Condensate Surfactant	119345-04-9	<10.0

**SYNONYMS:** None.

# ZOOM<sup>®</sup> ALKALI LIQUID

## 4 - FIRST AID MEASURES

### IN AN EMERGENCY CALL AN AMBULANCE (111).

Primary routes of exposure by inhalation of vapour and contact with skin or eyes.

### MAIN SYMPTOMS CAUSED BY EXPOSURE

Exposure will cause severe chemical burns and pain to skin, eyes and the gastrointestinal tract. Cough, sore throat and burning sensation will occur if inhaled.

### SWALLOWED

Call an ambulance immediately. Urgent hospital treatment is likely to be needed.

If swallowed do NOT induce vomiting.

Give water to rinse out mouth, then spit out rinse water. Provide water or milk slowly and as much as casualty can comfortably drink.

Transport to hospital or doctor without delay with a copy of this safety data sheet.

### EYE CONTACT

Immediately hold eyelids apart and flush the eye continuously with running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.

Continue flushing for at least 15 minutes, or until advised to stop by the Poison Centre or a doctor. Transport to hospital or doctor without delay with a copy of this safety data sheet.

Removal of contact lenses after an eye injury should be undertaken by skilled personnel.

### SKIN CONTACT

Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear while in the shower.

Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poison Centre or doctor.

Transport to hospital or doctor for treatment with a copy of this safety data sheet.

### INHALATION

If fumes, aerosols or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested.

Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.

Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.

Transport to hospital, or doctor without delay with a copy of this safety data sheet.

### NOTES TO PHYSICIAN

Treat symptomatically based on individual reactions of patient and judgement of doctor.

# ZOOM<sup>®</sup> ALKALI LIQUID

## 5 – FIRE FIGHTING MEASURES

### EXTINGUISHING MEDIA

In case of fire, use appropriate extinguishing media most suitable for surrounding fire conditions: water, water spray, dry powder, foam, carbon dioxide (CO<sub>2</sub>).

### FIRE FIGHTING

Alert Fire Brigade and tell them location and nature of hazard. Clear fire area of all non-emergency personnel.

Prevent, by any means available, spillage from entering drains or water course. Use firefighting procedures suitable for surrounding area.

Equipment should be thoroughly decontaminated after use.

### SPECIFIC HAZARDS

Spilled product will give off heat and toxic vapours on contact with water.

Spilled product may react violently and give off toxic and/or corrosive fumes on contact with acids.

Non-combustible. Will not self-ignite or explode.

Not considered a fire risk, however containers may melt and release product.

### PERSONAL PROTECTIVE EQUIPMENT

Fire-fighters should wear full protective clothing suitable for chemical hazards with self-contained breathing apparatus. The substance must be contained and prevented from entering drains and water courses in all circumstances.

### HAZCHEM CODE

2R

## 6 – ACCIDENTAL RELEASE MEASURES

Only fully trained personnel should be involved in handling chemicals. Personal Protective Equipment advice is contained in Section 8 of this SDS.

Wear protective gloves, clothing and eye/face protection.

Keep unnecessary people away from the hazardous area.

### MINOR SPILLS

Clean up all spills immediately.

Clear area of all personnel not involved in the clean-up. Avoid contact with skin and eyes.

Wear full protective equipment. Dike spillage area to prevent runoff and contamination of water sources; Clean up by absorbing with sand or soil or diluting with water and then remove contaminants to a chemical disposal area.

### MAJOR SPILLS

Clear area of all personnel not involved in the clean-up. Wear full body protective clothing with breathing apparatus.

If possible, dike spillage area to prevent runoff and contamination of water sources. Alert Fire Brigade and tell them location and nature of hazard. An exothermic reaction will occur on exposure to water.

## ZOOM<sup>®</sup> ALKALI LIQUID

Contain spilled material with sand, earth, vermiculite or another non-combustible material. Prevent, by any means available, spillage from entering drains or water courses.

Neutralise/decontaminate residue.

Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains.

After clean-up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.

If significant contamination of drains or waterways occurs, advise emergency services.

### 7 – HANDLING AND STORAGE

#### PROCEDURE FOR HANDLING

Operators should be trained in procedures for safe use of this material. Contact lenses should not be worn when working with this chemical.

Avoid all personal contact. Implement controls to reduce risk of exposure, such as closed systems and isolated operations.

Wear chemical resistant protective clothing that completely covers skin. Use appropriate personal protective equipment. See section 8 of the SDS. Use in a well-ventilated area.

**WARNING:** To avoid violent exothermic reaction, ALWAYS add Zoom Alkali to water; NEVER add water to Zoom Alkali.

Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers.

Use good occupational work practice. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use.

#### SUITABLE PACKAGING

The UN Packaging specification number as well as the UN packaging Logo is to be printed on the containers. Store product in original packaging.

Corrosive resistant Plastic (HDPE) drum

Check all packaging is clearly labelled and free from leaks.

#### STORAGE INCOMPATIBILITY

Store away from acids.

Avoid contact with metals.

#### STORAGE REQUIREMENTS

Store locked up.

Store in original containers.

Keep containers securely sealed to protect from moisture contamination. Store in a cool, dry, well-ventilated area.

Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks.

# ZOOM<sup>®</sup> ALKALI LIQUID

## 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE CONTROLS

Sodium Hydroxide 50%: 2 mg/m<sup>3</sup> TWA.

### ENGINEERING CONTROLS

No specific exposure controls are needed.

### VENTILATION SYSTEM

No specific ventilation systems are required.

### PERSONAL PROTECTION EQUIPMENT (PPE)

When handling product at all times wear:

- PVC protective gloves
- Safety Glasses/Goggles/Face Shield
- Chemical resistant waterproof boots
- Chemical resistant apron or overalls

### PERSONAL RESPIRATORS

Not required

### SKIN PROTECTION

Wear impervious protective clothing, including chemical resistant boots, gloves, apron or overalls as appropriate to prevent skin contact. Refer to AS/NZS 2161.1:2016 Occupational Protective Gloves – Selection, use and maintenance; AS/NZS 2210.1:2010 for Safety footwear; AS/NZS 4501.1:2008 Occupational protective clothing – Guidelines on the selection, use, care and maintenance of protective clothing.

Ensure ready access to an emergency shower.

### EYE PROTECTION

Use approved chemical safety goggles and a full-face shield. Refer to Personal eye protection Part 1: Eye and face protectors for occupational applications, Australian/New Zealand Standard: AS/NZS 1337.1:2010. Ensure that there is ready access to eye wash unit.

## 9 – PHYSICAL AND CHEMICAL PROPERTIES

### APPEARANCE

Colourless to slightly yellow liquid.

### PHYSICAL PROPERTIES

PROPERTY	VALUE
State:	Liquid
Odour:	None
Molecular Weight:	Not available
Melting Range (°C):	~0°C
Boiling Range (°C):	~100°C
Solubility in water (g/L, 20°C):	Completely at any amount

**ZOOM<sup>®</sup> ALKALI LIQUID**

pH:	>13
Specific Gravity (water=1):	1.18
Bulk Density (kg/m <sup>3</sup> ):	1175 - 1185
Volatile Component (%vol, 21°C):	Not available
Relative Vapor Density (air=1):	Not applicable
Vapour Pressure (hPa, 1175°C):	Not available
Autoignition Temp (°C):	Not applicable
Flash Point (°C):	Not applicable
Lower Explosive Limit (%):	Not applicable
Upper Explosive Limit (%):	Not applicable
Decomposition Temp (°C):	Not available
Viscosity (cps):	Not available
Evaporation Rate:	Not applicable

**10 – CHEMICAL STABILITY AND REACTIVITY****CHEMICAL STABILITY**

Stable under normal conditions of use, storage and temperature.

**CONDITIONS TO AVOID**

Excessive heat, direct sunlight, moisture, high temperatures.

**INCOMPATIBLE MATERIALS**

Acids and many metals.

**HAZARDOUS DECOMPOSITION PRODUCTS**

May produce toxic and corrosive fumes.

**HAZARDOUS REACTIONS**

Violent reaction on contact with Acids.

**11 – TOXICOLOGICAL INFORMATION****SWALLOWED**

Causes chemical burns to the oral cavity and gastrointestinal tract following ingestion.

**EYE**

Causes chemical burns to the eye following direct contact. Vapours or mists may be extremely irritating. If applied to the eyes, this material causes severe eye damage. May be intensely irritating to the eyes and precautions should be taken to ensure direct eye contact is avoided.

**SKIN**

May produce severe chemical burns to skin if left untreated.

Skin contact may produce severe pain and burns to skin and body tissue.

## ZOOM<sup>®</sup> ALKALI LIQUID

### INHALED

Will irritate the respiratory tract. Symptoms include coughing, choking, pain and damage to the mucous membrane. Prolonged or repeated exposure may cause organ damage.

### CHRONIC HEALTH EFFECTS

Substance accumulation in the human body may occur and may cause concern following repeated or long-term occupational exposure.

Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Bronchial irritation, with cough, and frequent attacks of bronchial pneumonia may ensue. Gastrointestinal disturbances may also occur.

Chronic exposures may result in dermatitis and/or conjunctivitis.

### TOXICITY AND IRRITATION DATA TOXICITY

**Acute Oral Toxicity, Rat, LD50:** Not available

**Acute Dermal Toxicity, LD50:** Not available.

**Acute Inhalation Toxicity, LC50:** Not available.

### IRRITATION

**Eye:** Corrosive to eyes.

**Skin:** Corrosive to skin.

**Carcinogenic effects:** The substance is not classified by IARC as carcinogenic to humans.

**Mutagenic effects:** No data available.

**Reproductive or developmental effects:** No data available.

**Aspiration hazard:** No data available.

**Specific target organ toxicity:** No data available.

**Sensitisation (respiratory/contact):** No data available.

## 12 – ECOLOGICAL INFORMATION

### ECOTOXICITY

**Toxic to aquatic life. May cause long-lasting harmful effects.**

**Harmful to terrestrial vertebrates.**

**Prevent spillage into waterways.**

### ECOTOXICITY DATA

**Fish, 96hr LC50:** Not available

**Persistence and Degradability:** Not available

**Mobility:** Soluble in water.

**Bioaccumulation:** The substance has no known potential for bioaccumulation.

**BOD or COD:** Not available

**PRODUCTS OF DEGRADATION:** Not available



# ZOOM<sup>®</sup> ALKALI LIQUID

## 13 – DISPOSAL INFORMATION

### PRODUCT

Return unwanted product to the manufacturer for disposal or contact the Regional Council for local chemical disposal area details.

Treatment in a biological wastewater treatment system with prior approval and arrangement is also permissible providing that the substance is rendered non-hazardous and does not pose any adverse effects to human health or the environment.

Alternatively consult an approved Waste Management company for disposal options.

### PACKAGING

NZ: Triple-rinse empty containers. Contact AgRecovery to arrange for pick-up or drop-off at a collection depot.

Overseas: Triple-rinse empty containers. Dispose of containers in accordance with guidance/regulations from relevant local authorities.

Observe all label safeguards until containers are cleaned and destroyed.

Where possible retain label warnings and SDS and observe all notices pertaining to the product.

## 14 – TRANSPORT INFORMATION

UN Number:	1719
Proper Shipping Name:	Caustic Alkali Liquid, NOS
DG Class:	8
Packing Group:	II
Label required:	CORROSIVE
Hazchem code:	2X
Marine Pollutant:	No
EMS Number:	N/A



Road and Rail Transport: Do not Ship with class 8 Acids.  
Do not ship with foodstuffs.

## 15 – REGULATORY INFORMATION

### REGULATIONS

Classified as hazardous according to the criteria of the New Zealand Hazardous Substances and New Organisms Act.

This product has been assigned to the following Group Standard by Deosan Manufacturing Ltd:  
**HSR002526: Cleaning Products (corrosive) Group Standard 2020.**

Certified handler and tracking regulations do not apply.

**ZOOM<sup>®</sup> ALKALI LIQUID****SECTION 16 – OTHER INFORMATION****INTERPRETATION AND ABBREVIATIONS**

**EPA** - The Environmental Protection Authority of New Zealand

**HSNO** - Hazardous Substances and New Organisms Act 1996

**MPI** - Ministry for Primary Industries

**EINECS** - European Inventory of Existing Commercial Chemical Substances.

**ENCS** - Japanese Existing and New Chemical substances.

**ERPG** - Emergency Response Planning Guidelines.

**GHS** - Globally Harmonized System of Classification and Labelling of Chemicals.

**IARC** - International Agency for Research on Cancer.

**SOURCES OF KEY DATA USED TO COMPILE THE DATASHEET:**

Manufacturer's SDS, NZ EPA, CCID

**DISCLAIMER:** *The information contained in this safety data sheet was obtained from current and reliable sources. This data is supplied without warranty, expressed or implied, regarding its correctness and accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.*

**Deosan recommends** that if this sheet is kept in hard copy that the user check [www.deosan.co.nz/safety-data-sheets/](http://www.deosan.co.nz/safety-data-sheets/) monthly to ensure it is still current.